

CE 0085



CERT

EU type examination certificate
EU-Baumusterprüfbescheinigung

CE-0085CR0394

Product Identification No.
Produkt-Identnummer

Field of Application <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
Distributor <i>Vertreiber</i>	Ariston Thermo S.p.A. Viale Aristide Merloni, 45, I-60044 Fabriano (AN)
Product Category <i>Produktart</i>	Boilers with flue systems: Condensing water heater (3202)
Product Description <i>Produktbezeichnung</i>	Condensing combi water heater with closed combustion chamber
Model <i>Modell</i>	GENUS ONE...
Countries of Destination <i>Bestimmungsländer</i>	AL, AM, AT, AZ, BA, BE, BG, BY, CH, CN, CY, CZ, DE, DK, EE, EG, ES, FI, FR, GB, GE, GR, HR, HU, IE, IS, IT, JO, LB, LT, LU, LV, MA, MD, ME, MK, MT, NL, NO, PL, PT, RO, RS, RU, SE, SI, SK, TN, TR, UA
Test Reports <i>Prüfberichte</i>	supplement test: K 1934 2020 B25 from 20.07.2020 (TRG) supplement test: K 1934 2020 E24 from 20.07.2020 (TRG)
Test Basis <i>Prüfgrundlagen</i>	EU/2016/426 A III B (09.03.2016) DIN EN 15502-1 (01.10.2015) DIN EN 15502-2-1 (01.09.2017)
Date of Expiry / File No. <i>Ablaufdatum / AZ</i>	20.04.2028 / 20-0462-GER

70088-01-A-DE

05.08.2020 Rie B-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EU Regulation

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EU-Verordnung EU/2016/426.



Deutsche
Akkreditierungsstelle
D-ZE-16028-01-01

DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993

www.dvgw-cert.com
info@dvgw-cert.com

Appliance Categories <i>Gerätekatégorien</i>	Supply Pressures <i>Versorgungsdrücke</i>	Countries of Destination <i>Bestimmungsländer</i>	Remarks <i>Bemerkungen</i>
I2H	20 mbar	AT, BG, CH, CZ, EE, FI, HR, IE, IS, LT, LV, NO, RO, SE, SK, TR	
I2HS	20 mbar	HU	
I3+	30/37 mbar	ES, FR, IE, PT	
I3B/P	30 mbar	AT, BE, DE, DK, EE, FI, NL, NO, RO	
I3B/P	37 mbar	BE, CH, CZ, GR, IT, LT, PL, SI, SK	
I3B/P	50 mbar	AT, BE, BG, CH, CY, CZ, DE, GR, HR, HU, IS, LU, LV, MT, NL, SK, TR	
I12E3B/P	20, 37 mbar	PL	
I12E3B/P	20, 50 mbar	LU	
I12H3+	20, 30/37 mbar	IE	
I12H3B/P	20, 30 mbar	AT, EE, FI, HR, NO, RO, SE	
I12H3B/P	20, 37 mbar	CH, CZ, LT, SK	
I12H3B/P	20, 50 mbar	AT, CH, CY, CZ, IS, LV, SK, TR	
I12H3P	20, 37 mbar	ES	
I12HS3B/P	25, 50 mbar	HU	
I11c2E+3+	8, 20/25, 37 mbar	FR	

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
GENUS ONE SYSTEM 12	nominal heat output: 2,3...11,8 kW heat input (Hi): 2,5...12 kW	
GENUS ONE SYSTEM 18	nominal heat output: 2,3...17,5 kW heat input (Hi): 2,5...18,0 kW	
GENUS ONE NET 24 (S); GENUS ONE WIFI 24; GENUS ONE 24; GENUS ONE 24 S; GENUS ONE SYSTEM 24 (S)	sanitary water heat input (Hi): 2,5...26,0 kW nominal heat output: 2,3...21,5 kW heat input (Hi): 2,5...22,0 kW	
GENUS ONE NET 30 (S); GENUS ONE WIFI 30; GENUS ONE 30; GENUS ONE 30 S; GENUS ONE SYSTEM 30 (S)	sanitary water heat input (Hi): 3,0...30,0 kW nominal heat output: 2,8...27,5 kW heat input (Hi): 3,0...28,0 kW	
GENUS ONE NET 35 (S); GENUS ONE WIFI 35; GENUS ONE 35; GENUS ONE 35 S; GENUS ONE SYSTEM 35 (S)	sanitary water heat input (Hi): 3,5...34,5 kW nominal heat output: 3,3...30,8 kW heat input (Hi): 3,5...31,0 kW	

Hints of Utilization /Remarks

Verwendungshinweise / Bemerkungen

Electrical data: 230 V AC, 50 Hz; flue types: B23, B23P, B33, C13(x), C23, C33(x), C43(x), C53(x), C63(x), C83(x) and C93(x) according to installation manual with flue systems of Centrotec (approval no. 0036 CPR 9169 003), Muellink & Grol (approval no. 0432-BPR-220556), Skoberne (approval no. 0036 CPD 9184 001-2007), Groppalli (approval no. 0694-CPR-7968), LN Natalini (approval no. 0694-CPR-8045) and ANT KALIP (approval no. 0432-CPD-7442).
Additional proved countries of destination, appliance categories and supply pressures:
AL, AZ, AM, BA, BG, BY, DK, ES, GB, GE, GR, IS, MA, MK, MT, PT, RS, RU, SI, TN, UA: I2N (20 mbar); BE, DE, EG, FR, LB, MA, NL, TN: I2N (20/25 mbar)
BA, GR, SI: I12N3B/P (20, 37 mbar); DK: I12N3B/P (20, 30 mbar); LU, PL, RO: I2E (20 mbar); BE: I2E(S) (20/25 mbar); BE: I2E+ (20/25 mbar); IT: I2HM (20 mbar); AL, AM, AZ, BA, BG, BY, GE, GR, IS, MK, MT, RS, RU, UA: I12N3B/P (20, 50 mbar);
BE, DE, NL: I12N3B/P (20/25, 30 mbar); BE: I12N3B/P (20/25, 37 mbar); DE, NL: I12N3B/P (20/25, 50 mbar); GB: I3P (37 mbar); GB: I3P (50 mbar)
AL, AM, AZ, BA, BY, CY, GE, IL, JO, MD, ME, MD, MT, MK, RS, RU, UA: I2H (20 mbar); BA, ES, IL, JO, MD, ME: I12H3B/P (20, 37 mbar)
AL, AM, AZ, BA, BG, BY, GE, MK, MT, RS, RU, UA: I12H3B/P (20, 50 mbar); EG, LB, MA, TN: I3+ (30/37 mbar); IT: I12HM3B/P (20, 37 mbar); IT: I12HM3P (20, 37 mbar)
BA, IL, JO, MD, ME: I3B/P (37 mbar); AL, AM, AZ, BA, BY, GE, MK, RS, RU, UA: I3B/P (50 mbar); BE, FR, ES, EG, LB, MA, PT, TN: I12N3+ (20, 30/37 mbar)
BE, FR, TN: I12N3+ (25, 30/37 mbar); GB: I12N3P (20, 37 mbar); GB: I12N3P (20, 50 mbar); EG, FR, LB, MA, TN: I12Esi3B/P (20/25, 30-37 mbar)
In the NON-EU countries the CE-marking will be accepted as conformity approval if the Gas Appliance Regulation EU/2016/426 is transferred into national law by this countries.

EC type examination certificate
EG-Baumusterprüfbescheinigung

CE-0085CR0394

Product Identification No.
 Produkt-Identnummer

Field of Application <i>Anwendungsbereich</i>	EC Efficiency Directive (92/42/EEC) <i>EG-Wirkungsgradrichtlinie (92/42/EWG)</i>
Distributor <i>Vertreiber</i>	Ariston Thermo S.p.A. Viale Aristide Merloni, 45, I-60044 Fabriano (AN)
Product Category <i>Produktart</i>	Boilers with flue systems: Condensing water heater (3202)
Product Description <i>Produktbezeichnung</i>	Condensing combi water heater with closed combustion chamber
Model <i>Modell</i>	GENUS ONE...
Type of Boiler <i>Heizkesseltyp</i>	condensing boiler
Test Reports <i>Prüfberichte</i>	supplement test: K 1934 2020 B26 from 20.07.2020 (TRG)
Test Basis <i>Prüfgrundlagen</i>	EU/92/42 (21.05.1992)
File Number <i>Aktenzeichen</i>	20-0462-GWR



70026-04-A-DE

05.08.2020 Rie B-1/2

Date, Issued by, Sheet, Head of Certification Body
 Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle



DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of heating boilers under EC Directive 92/42/EC.

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Heizkesseln nach der Richtlinie 92/42/EWG.



Deutsche
 Akkreditierungsstelle
 D-ZE-16028-01-04

DVGW CERT GmbH
 Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
 53123 Bonn

Tel. +49 228 91 88 - 888
 Fax +49 228 91 88 - 993

www.dvgw-cert.com
 info@dvgw-cert.com

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Energy Labelling <i>Energieeffizienzkenzeichnung</i>
GENUS ONE SYSTEM 12	nominal heat output: 2,3...11,8 kW heat input (Hi): 2,5...12 kW	
GENUS ONE SYSTEM 18	nominal heat output: 2,3...17,5 kW heat input (Hi): 2,5...18,0 kW	
GENUS ONE NET 24 (S); GENUS ONE WIFI 24; GENUS ONE 24; GENUS ONE 24 S; GENUS ONE SYSTEM 24 (S)	sanitary water heat input (Hi): 2,5...26,0 kW nominal heat output: 2,3...21,5 kW heat input (Hi): 2,5...22,0 kW	
GENUS ONE NET 30 (S); GENUS ONE WIFI 30; GENUS ONE 30; GENUS ONE 30 S; GENUS ONE SYSTEM 30 (S)	sanitary water heat input (Hi): 3,0...30,0 kW nominal heat output: 2,8...27,5 kW heat input (Hi): 3,0...28,0 kW	
GENUS ONE NET 35 (S); GENUS ONE WIFI 35; GENUS ONE 35; GENUS ONE 35 S; GENUS ONE SYSTEM 35 (S)	sanitary water heat input (Hi): 3,5...34,5 kW nominal heat output: 3,3...30,8 kW heat input (Hi): 3,5...31,0 kW	